

-	8	resynchroniz\$4 with ("power loss" or "low power")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:51
-	1	(resynchroniz\$4 with ("power loss" or "low power")) and ("security sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:52
-	8	(resynchroniz\$4 or "re establish\$4") with ("power loss" or "low power")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:11
-	1	((resynchroniz\$4 or "re establish\$4") with ("power loss" or "low power")) and ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:52
-	7	((resynchroniz\$4 or "re establish\$4") with ("power loss" or "low power")) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:18
-	0	(resynchroniz\$4 or "re establish\$4") with ("power near2 loss" or "low near2 power" or "signal near2 loss")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:13
-	0	(resynchroniz\$4 or "re establish\$4") with ("signal near2 loss")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:12
-	22	(resynchroniz\$4 or "re establish\$4") with ((power near2 loss) or (low near2 power) or (signal near2 loss))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:13
-	21	((resynchroniz\$4 or "re establish\$4") with ((power near2 loss) or (low near2 power) or (signal near2 loss))) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:14
-	24	("sequence value" with ("data packet" or "data block"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:18
-	1	((("sequence value" with ("data packet" or "data block")) and 380/260.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:18
-	14	((("sequence value" with ("data packet" or "data block")) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 16:01
-	2	stor\$3 with ("sequence value" with resynchroniz\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:46
-	1	(reestablish\$3 or "re establish\$5") with ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:47

-	3	(reestablish\$3 or "re establish\$5" or resynchroniz\$5) with ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:52
-	4	(reestablish\$3 or "re establish\$5" or resynchroniz\$5) same ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:54
-	1	((reestablish\$3 or "re establish\$5" or resynchroniz\$5) and ("sequence value")) and 380/260.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:55
-	200	(reestablish\$3 or "re establish\$5" or resynchroniz\$5) and ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:55
-	135	((reestablish\$3 or "re establish\$5" or resynchroniz\$5) and ("sequence value")) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 16:20
-	14	((((reestablish\$3 or "re establish\$5" or resynchroniz\$5) and ("sequence value")) and @ad < "20010629") and (acknowledg\$5 with "sequence value"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:58
-	2	"sequence value" with (resynchroniz\$4 or reestablish\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:59
-	21	"sequence value" with (synchroniz\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:59
-	17	("sequence value" with (synchroniz\$4)) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:56
-	13	"anti replay" with IPsec	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:56
-	4	("anti replay" with IPsec) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:56

L Number	Hits	Search Text	DB	Time stamp
-	5392	resynchroniz\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:16
-	4245	resynchroniz\$3 and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:59
-	0	(resynchroniz\$3 and @ad < "20010629") and ("security sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:46
-	79	(resynchroniz\$3 and @ad < "20010629") and ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:17
-	1932	(resynchroniz\$3 or reestablish\$4) with communicat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:16
-	1471	((resynchroniz\$3 or reestablish\$4) with communicat\$3) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:17
-	23	((((resynchroniz\$3 or reestablish\$4) with communicat\$3) and @ad < "20010629") and ("sequence value"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:17
-	0	(((((resynchroniz\$3 or reestablish\$4) with communicat\$3) and @ad < "20010629") and ("sequence value"))) and acknowledg\$4) and authenticat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:19
-	0	(((((resynchroniz\$3 or reestablish\$4) with communicat\$3) and @ad < "20010629") and ("sequence value"))) and acknowledg\$4) and (detect\$4 with (desynchroniz\$3 or disconnect\$3 or disrupt\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:20
-	1	(((((resynchroniz\$3 or reestablish\$4) with communicat\$3) and @ad < "20010629") and ("sequence value"))) and acknowledg\$4) and ((desynchroniz\$3 or disconnect\$3 or disrupt\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:23
-	0	(((((resynchroniz\$3 or reestablish\$4) with communicat\$3) and @ad < "20010629") and ("sequence value"))) and acknowledg\$4) and ("low power state")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:23
-	17	(((((resynchroniz\$3 or reestablish\$4) with communicat\$3) and @ad < "20010629") and ("sequence value"))) and acknowledg\$4) and ("low power")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:24
-	18	((((resynchroniz\$3 or reestablish\$4) with communicat\$3) and @ad < "20010629") and ("sequence value"))) and acknowledg\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:01
-	32	((resynchroniz\$3 and @ad < "20010629") and ("sequence value")) and acknowledg\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:45